

※要保人可透過本公司免費服務電話(0800-010850)、網站(<http://www.south-china.com.tw>)或總公司、分公司及通訊處查閱公開資訊文件。
※本商品經本公司合格簽署人員檢視其內容業已符合保險精算原則及保險法令，惟為確保權益，基於保險業與消費者衡平對等原則，消費者仍應詳加閱讀保險單條款與相關文件，審慎選擇保險商品。本商品如有虛偽不實或違法情事，應由本公司及負責人依法負責。
※詳細承保內容以保單條款為準。 ※本商品受保險安定基金之保障。

華南產物特約條款 D (一般工廠特約條款)

第五條：化學工廠特約條款(D)

奉財政部(81)台財保 第 811766151 號函核准
99.10.20(99)華企商字第 411 號函備查

被保險人保證在本保險契約所承保處所內，如製造特別危險品，則不使用特別危險品原料。
使用特別危險品原料，則不製造危險品或特別危險品(詳見附表)。

附表

【CLASSIFIED GOOD LIST】

危險品及特別危險品分類表

(以英文名稱字母為序)

1 Acetate fibre	醋酸纖維	危 H
2 Acetone (Di-methyl ketone)	丙酮、醋酮	特危 EH
3 Acetylene	乙炔、(電石氣)	特危 EH
4 Alcohols, Spirits of all kinds	酒精	特危 EH
5 Aluminium carbide	碳化鋁	特危 EH
6 Ammonia	阿摩尼亞(氨)	危 H
7 Ammonium cyanide	氰化銨	特危 EH
8 Ammunition of all kinds	各種軍火	特危 EH
9 Antimony trisulphate(Trisulphide)	硫酸亞銻(三硫化銻)	危 H
10 Asphalt, Bitumen and pitch	瀝青	危 H
11 Balsams (in containers other than bottles or tins)	香膠、香樹膠(瓶裝或罐裝入箱者除外)	危 H
12 Bamboo, Cane, Rattan, Willow	竹、籐、柳枝	危 H
13 Barium, Barium chlorite, Barium peroxide	鋇、亞氯酸鋇、過氧化鋇	特危 EH
14 Barium sulphide	硫酸鋇	危 H
15 Bean, nut or seed meal and cake	豆餅、果仁餅或植物子餅	危 H
16 Benzene or Benzolene	苯或石油精	特危 EH
17 Benzoyl peroxide	過氧化二苯甲醯	特危 EH
18 Borneol	龍腦(樟腦醇)	特危 EH
19 Bristle	豬鬃	危 H
20 Butyl acetate	乙酸丁酯(醋酸丁酯)	特危 EH
21 Butyl alcohol	丁醇	特危 EH
22 Butyl aldehyde	丁醛	特危 EH
23 Butyl butyrate	丁酸丁酯	危 H
24 Butyl lactate	乳酸丁酯	危 H
25 Calcium	鈣	特危 EH
26 Calcium carbide	碳化鈣	特危 EH
27 Calcium peroxide	過氧化鈣	特危 EH
28 Calcium phosphide	磷化鈣	特危 EH
29 Calcium resinate and sulphide	松脂酸鈣及硫化鈣	危 H
30 Calcium silicide	矽化鈣	特危 EH
31 Camphor and Camphene	樟腦及樟腦精	危 H
32 Candles	蠟燭	危 H
33 Carbon bisulphide	二硫化碳	特危 EH
34 Carbon black	碳黑(粉)、黑煙末	危 H
35 Celluloid、Xylonite and Xylonite Solutions	賽璐珞、假象牙及其溶液	特危 EH
36 Charcoal	木炭	危 H
37 Chlorates and Perchlorates of all kinds	各種氯酸鹽及各種過氯酸鹽	特危 EH

38 Chlorine	氯	特危	EH
39 Cleaning and polishing liquids, Creams and pastes:	潔淨及擦亮用之流質、膏質及糊狀質:		
a. Flash point below 73°F	a. 閃火點在華氏 73 度以下者	特危	EH
b. Flash Point between 73°F and 200°F	b. 閃火點在華氏 73 度與 200 度之間者	危	H
40 Coal	煤	危	H
41 Coir fibre and Coir yarn	椰皮纖維及椰皮纖維紗	危	H
42 Collodion	膠棉(珂羅酊)	特危	EH
43 Copper sulphide	硫化銅	危	H
44 Copra	乾椰仁	危	H
45 Cork Granulated, (unless in the form of hard pressed bales block or slabs)	碾碎軟木(緊壓捆裝塊形或片形者除外)	危	H
46 Cotton (including machine pressed metal bound bales)	棉花(包括機壓鐵皮箍捆包裝者)	危	H
47 Cotton Quilts	棉胎	特危	EH
48 Cotton waste and Loose cotton (no matter packed or not)	棉花廢料及散花(無論包裝與否)	特危	EH
49 Creosote	木餾油	危	H
50 Cyanogen	氰化氫	特危	EH
51 Dichromates of all kinds	各種重鉻酸鹽	危	H
52 Diethylene glycol	二乙二醇	危	H
53 Disinfectant liquids:	殺菌劑(液):		
a. Flash point below 73°F	a. 閃火點在華氏 73 度以下者	特危	EH
b. Flash Point between 73°F and 200°F	b. 閃火點在華氏 73 度與 200 度之間者	危	H
54 Dope:	混合性塗料:		
a. Flash point below 73°F	a. 閃火點在華氏 73 度以下者	特危	EH
b. Flash Point not below 73°F	b. 閃火點在華氏 73 度以上者	危	H
55 Ether	乙醚(以太)	特危	EH
56 Ethyl acetate	醋酸乙脂	特危	EH
57 Ethyl alcohols	乙醇	特危	EH
58 Explosives of all kinds	各種爆炸品	特危	EH
59 Fats(excluding Butter and Margarine)	脂肪(奶油及人造奶油除外)	危	H
60 Feather	羽毛	危	H
61 Felt - asphalted , Bituminous, roofing or tarred	瀝青氈、地瀝青屋頂材料或塗柏油者	危	H
62 Firecrackers, Christmas crackers	炮竹、摔炮	特危	EH
63 Firewood	柴	危	H
64 Fireworks	煙火(煙花)	特危	EH
65 Fish scrap and meal	魚碎屑、魚粉	危	H
66 Flax and Linen fibre	亞麻紗及亞麻纖維	危	H
67 Flock	羊毛叢棉絮(係填被褥椅墊材料)	危	H
68 Fodder dried , Hay	乾秣(牛馬草料)、乾草	危	H
69 Gasoline, Petrol	汽油	特危	EH
70 Ghee(except when packed in airtight tins)	牛酪油(真空罐裝者除外)	危	H

71 Graphite	石墨	危	H
72 Greases of all kinds	各類油脂膏	危	H
73 Gums	樹膠	危	H
74 Hemp(including machine pressed metal bound bales)	翹(包括機壓鐵皮籬捆包裝者)	危	H
75 Hemp waste	翹廢料	特危	EH
76 Hemp yarn	翹紗綿	危	H
77 Hexane	己烷	特危	EH
78 Hydrogen	氫氣	特危	EH
79 Hydrogen peroxide	雙氧水(過氧化氫)		
a. if exceeding 40% Peroxide	a. 氧化濃度超過 40%者	特危	EH
b. if exceeding 6% and below 40% Peroxide	b. 氧化濃度超過 6%未滿 40%者	危	H
80 Inflammable Gases compressed	可燃性壓縮氣體	特危	EH
81 Insecticides:	殺蟲劑:		
a. Flash Point below 73°F	a. 閃火點在華氏 73 度以下者	特危	EH
b. Flash Point not below 73°F	b. 閃火點在華氏 73 度以上者	危	H
82 Insulating Varnishes:	絕緣洋漆:		
a. Flash Point below 73°F	a. 閃火點在華氏 73 度以下者	特危	EH
b. Flash Point not below 73°F	b. 閃火點在華氏 73 度以上者	危	H
83 Iron sulphide	硫化鐵	危	H
84 Joss paper and Joss sticks	神紙及神香	危	H
85 Jute (including machine pressed metal bound bales)	黃翹(包括機壓鐵皮籬捆包裝者)	危	H
86 Jute waste	黃翹廢料	特危	EH
87 Jute yarn	黃翹紗線	危	H
88 Kapok:	木棉:		
a. In machine pressed metal bound bales	a. 機壓鐵皮籬捆包裝者	危	H
b. Otherwise	b. 不合上列規格者	特危	EH
89 Kerosene	煤油	特危	EH
90 Lacs of all kinds (Resins)	各種蟲膠(漆)	危	H
91 Lamp black	燈煙、烏煙	危	H
92 Lime, Unslaked	生石灰	危	H
93 Lubricants	潤滑機油	危	H
94 Lythene	各種揮發油	特危	EH
95 Matches of all kinds	各種火柴	特危	EH
96 Matting and Mat bags (excluding Seagrass matting)	蓆及蓆袋(海草蓆除外)	危	H
97 Menthol	薄荷腦	危	H
98 Metallic powders or dust - Aluminium, Bronze, Iron, Magnesium ,Zinc or other Similar Substances	金屬粉-鋁、黃銅、鐵、鎂鋅或其他具有類似性質者	特危	EH
99 Methyl acetate	醋酸甲酯(木醋酸)	特危	EH
100 Methyl alcohol	甲醇(木酒精)	特危	EH
101 Methylated spirit	變性酒精	特危	EH

102 Mungo	呢絨碎料	特危 EH
103 Naphtha:	石油腦:	
a. Flash Point below 73°F	a. 閃火點在華氏 73 度以下者	特危 EH
b. Flash point not below 73°F	b. 閃火點在華氏 73 度以上者	危 H
104 Naphthalene	靈(洋樟腦)	危 H
105 Native medicines including dried flowers, herbs and leaves other than those packed in bottles ,tins and jars	中藥材-包括乾燥花、草及葉片(瓶裝罐裝或甕裝者除外)	危 H
106 Nitrates and Nitrites of all kinds	各種硝酸鹽及亞硝酸鹽	特危 EH
107 Oakum	棚絮	危 H
108 Oil cakes and meals	豆餅及豆麩(油渣)	危 H
109 Oiled clothing, cloth, paper and umbrellas	油布衣、油布、油紙及油紙傘	危 H
110 Oils , animal, fish, vegetable and essential (except medicinal edible and essential oils packed in bottles & in cases or in tins & in cases.)	動物油、植物油及精油(醫療用油、可食油及精油之瓶裝或罐裝且入箱者除外)	危 H
111 Oils illuminating:	燈油:	
a. Flash Point below 73°F	a. 閃火點在華氏 73 度以下者	特危 EH
b. Flash Point not below 73°F	b. 閃火點在華氏 73 度以上者	危 H
112 Oils – mineral, Rock, Schist Shale, Petroleum, Tar and their liquid products (except medicinal , packed in bottles & in cases or in tins & in cases):	礦油、石油、頁岩油、柏油、泥板岩油、汽油及液體(醫療用油瓶裝或罐裝且入箱者除外):	
a. Flash Point below 73°F	a. 閃火點在華氏 73 度以下者	特危 EH
b. Flash Point not below 73°F	b. 閃火點在華氏 73 度以上者	危 H
113 Oleum	硫酸(發煙硫酸)	危 H
114 Olibanum	乳香油	危 H
115 Oxygen	氧氣	特危 EH
116 Paints, Paints Removers, Enamels, Lacquers, Renovators, Solvents, stains, Thinners, Varnishes and Varnish remover:	油漆、去漆劑、珞瑯漆、臘克、革新劑、溶漆劑、漆之染料、漆之稀釋劑、光漆及去光漆劑:	
a. Flash Point below 73°F	a. 閃火點在華氏 73 度以下者	特危 EH
b. Flash Point not below 73°F	b. 閃火點在華氏 73 度以上者	危 H
117 Paper , asphalted, oiled or tarred	地瀝青紙、油紙或柏油紙	危 H
118 Paper flowers, Lanterns	紙花、紙燈籠	危 H
119 Parathion(Liquid)	巴拉松(液體)	特危 EH
120 Perborates permanganates and Persulphates of all kinds	各種高硼酸化合物、高錳酸化合物及過硫酸化合物	危 H
121 Peroxides of all kinds	各種過氧化合物	特危 EH
122 Pharmaceutical chemicals and Drugs-liquid or solid, consisting of or made up with substances listed as hazardous, (unless in bottles not to exceed one quart or in tins to exceed 10 lbs. packed in case)	液體或固體之醫藥化學原料及藥品含有列入危險品之物質者(瓶裝不超過一夸爾或罐裝不超過十磅且入箱者除外)	危 H
123 Phosphorus	磷	特危 EH

124 Poisons	毒性物質	危	H
125 Potassium	鉀	特危	EH
126 Potassium bichromate	重鉻酸鉀(紅礬)	危	H
127 Potassium hydroxide	氫氧化鉀(苛性鉀)	危	H
128 Potassium nitrate	硝酸鉀	特危	EH
129 Potassium nitrite	亞硝酸鉀	特危	EH
130 Potassium permanganate	高錳酸鉀	特危	EH
131 Potassium sulphide	硫化鉀	特危	EH
132 Printing inks:	油墨:		
a. Flash Point below 73°F	a. 閃火點在華氏 73 度以下者	特危	EH
b. Flash Point not below 73°F	b. 閃火點在華氏 73 度以上者	危	H
133 Pyridine	吡啶	特危	EH
134 Rags and Waste	碎布及廢料		
a. oily or greasy	a. 油膩者	特危	EH
b. not oily or greasy	b. 非油膩者	危	H
135 Resinates, Resins natural of all kinds	各種松脂酸鹽、天然樹脂	危	H
136 Rockets, Flares and Signal lights	火箭彈、閃光彈及訊號彈	特危	EH
137 Rubber reclaimed, waste and old rubber goods	再生橡膠、橡膠廢料及舊橡膠物品	特危	EH
138 Rubber solutions:	橡膠溶液:		
a. Flash Point below 73°F	a. 閃火點在華氏 73 度以下者	特危	EH
b. Flash Point between 73°F and 200°F	b. 閃火點在華氏 73 度與 200 度之間者	危	H
139 Salvage goods - fire or water damaged	殘餘物-火損或水損者	危	H
140 Sawdust	鋸屑	危	H
141 Shavings, wood or paper	木屑或紙屑	危	H
142 Shoddy	翻造舊毛絨料	危	H
143 Silane	矽烷	特危	EH
144 Sodium	鈉	特危	EH
145 Sodium amalgam	鈉汞劑	特危	EH
146 Sodium bichromate	重鉻酸鈉	危	H
147 Sodium hydrosulphite (Hyposulphite)	亞硫酸氫鈉 (保險粉)	危	H
148 Sodium hydroxide(Caustic Soda)	氫氧化鈉(燒鹼)	危	H
149 Sodium nitrate	硝酸鈉	特危	EH
150 Sodium perborate monohydrate	過硼酸鈉	危	H
151 Sodium permanganate	高錳酸鈉	特危	EH
152 Sodium sulphide	硫化鈉	特危	EH
153 Solvents:	溶劑:		
a. Flash Point below 73°F	a. 閃火點在華氏 73 度以下者	特危	EH
b. Flash Point not below 73°F	b. 閃火點在華氏 73 度以上者	危	H
154 Stearine	硬脂酸	危	H
155 Straw and Straw braid	稻草及草梗	危	H
156 Sulphur	硫磺	危	H

157 Sulphur dyes of colours(unless containing at least 10%of inert inorganic salts and packed in airtight metal vessels)	硫化染料或顏料(含有最少百分之十之無機體鹽而裝於密封之鐵罐者除外)	危	H
158 Tallow	牲脂油	危	H
159 Tarred cloth, felt, or rope	柏油布、柏油氈及柏油繩	危	H
160 Terebene	硫酸松節油	危	H
161 Toluene	甲苯	危	H
162 Turpentine and Turpentine substitute	松節油及其類似品	危	H
163 Vegetable fibres(not otherwise mentioned)	植物纖維(本表未列者)	危	H
164 Wax	蠟	危	H
165 Xylol or Xylene	二甲苯	特危	EH

定義：

危險品及特別危險品分類表未列舉之液體及氣體物品，其危險等級區分定義如下：

(一) 液體定義：

1. 閃火點在華氏 73 度(含)以下者為特別危險品。
2. 閃火點在華氏 73 度至 200 度(含)之間為危險品。
3. 閃火點在華氏 200 度以上者為普通品。

所謂閃火點係指易(可)燃性液體於其某一最低溫度時，其液體表面因揮發作用在空氣中產生可燃性混合蒸氣，當外界環境有熱源供應之情況下，該易(可)燃性液體表面所釋出之蒸氣即會產生閃火現象，此時最低臨界溫度即為其閃火點。

(二) 氣體定義：具有易(可)燃性者為特別危險品。